





PE-through terminal, Floor installation, accessory for Load disconnecter 3LD3

Model	
product brand name	SETRON
product designation	PE through-type terminal
design of the product	accessories for 3LD3 switch disconnectors
AWG number as coded connectable conductor cross section	
• minimum	14
• maximum	6
tightening torque with screw-type terminals	
• minimum	3 N·m
• maximum	3 N·m
type of connectable conductor cross-sections for main contacts	
• finely stranded with core end processing	1x (2.515 mm <sup>2</sup> )
• solid or stranded	1x (2.5 ... 16 mm <sup>2</sup> )

Approvals Certificates		
General Product Approval	other	Environment
<a href="#">Confirmation</a> 		<a href="#">Confirmation</a> <a href="#">Miscellaneous</a> <a href="#">Environmental Confirmations</a>

Environment
<a href="#">Environmental Confirmations</a>

Further information
<b>Information on the packaging</b> <a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>
<b>Information- and Downloadcenter (Catalogs, Brochures,...)</b> <a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>
<b>Industry Mall (Online ordering system)</b> <a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9340-3C">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9340-3C</a>
<b>Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)</b> <a href="https://support.industry.siemens.com/cs/ww/en/ps/3LD9340-3C">https://support.industry.siemens.com/cs/ww/en/ps/3LD9340-3C</a>
<b>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)</b> <a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9340-3C">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9340-3C</a>
<b>CAx-Online-Generator</b> <a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>



---

last modified:

4/18/2024 

