



Auxiliary switch, Floor installation 1 OE + 1 S left and / or right mountable, accessory for Load disconnecter 3LD3

Model	
product brand name	SENTRON
product designation	auxiliary switch
design of the product	accessories for 3LD3 switch disconnectors
operational current	<ul style="list-style-type: none"> <li>at AC-15 at 110 V rated value 6 A</li> <li>at AC-15 at 230 V rated value 3 A</li> <li>at AC-15 at 500 V rated value 1.4 A</li> <li>at DC-13 at 24 V rated value 4 A</li> </ul>
suitability for use	for 3LD3 floor mounting, distribution board mounting, and basic switches without knob-operated mechanism
special product feature	NO: lagging during switching ON, leading during switching OFF the 3LD switch. NC: leading during switching ON, lagging during switching OFF the 3LD switch
tightening torque with screw-type terminals	<ul style="list-style-type: none"> <li>minimum 0.8 N·m</li> <li>maximum 1.2 N·m</li> </ul>
type of connectable conductor cross-sections for auxiliary contacts	<ul style="list-style-type: none"> <li>solid 2x (0.75-2.5 mm<sup>2</sup>), 1x 4 mm<sup>2</sup></li> <li>finely stranded with core end processing 2x (0.75-2.5 mm<sup>2</sup>), 1x 4 mm<sup>2</sup></li> <li>stranded 2x (0.75-2.5 mm<sup>2</sup>), 1x 4 mm<sup>2</sup></li> </ul>

Approvals Certificates	
General Product Approval	other



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

### Environment

[Environmental Confirmations](#)

[Environmental Confirmations](#)

### Further information

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
 Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>  
 Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9340-6C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3LD9340-6C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9340-6C](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9340-6C)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

8/8/2024 

