



MINIZED, fuse switch disconnecter, D01, 1-pole, In: 16 A, Un AC: 230 V

Model			
product brand name		MINIZED	
product designation		Fuse switch disconnecter	
General technical data			
number of poles		1	
size of fuse system according to EN 60269-1		D01	
overvoltage category		4	
Voltage			
surge voltage resistance rated value		6 kV	
Supply voltage			
operating voltage at AC rated value		230 V	
Protection class			
protection class IP		IP20, with connected conductors	
Dissipation			
power loss [W]		0.1 W	
● for rated value of the current at AC in hot operating state per pole			
Product details			
product feature sealable		Yes	
Connections			
tightening torque with screw-type terminals		2.5 N·m	
● minimum			
● maximum		3 N·m	
Mechanical Design			
height		88 mm	
width		18 mm	
depth		70 mm	
mounting position		any, preferably vertical	
net weight		76 g	
Approvals Certificates			
General Product Approval		other	Environment



[Confirmation](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG7611-0KK16>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5SG7611-0KK16>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG7611-0KK16

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

4/12/2025 

