

starter kit 24 2x 12 sensor bars + 24x 40 A sensor + data manager 7KT1260




Figure similar

Model		
product brand name	SETRON	
product designation	Multichannel current measuring device	
product type designation	7KT PAC1200	
General technical data		
measuring precision	Total accuracy +/-2% (of full-scale value / class 2)	
measured variable current rated value	63 A	
Supply voltage		
type of measurable line frequency full-scale value	50 +/- 5%	
line frequency rated value	Yes	
• 50 Hz	Yes	
Suitability		
suitability for use		
• ammeter	No	
• reactive power meter	Yes	
• revolution measuring instrument	No	
• frequency meter	Yes	
• pulse counter	No	
• voltmeter	No	
• wattmeter	Yes	
Mechanical Design		
number of modular width units	4	
net weight	632 g	
Approvals Certificates		
General Product Approval	other	Environment

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT1223>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KT1223>

[Image database \(product images, 2D dimension drawings, 3D models, device circuit diagrams, ...\)](#)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT1223

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

3/12/2024 

