# **Product datasheet**

Specifications





# voltage release - iMN - tripping unit - 220..240 VAC

Local distributor code:

396737100 A9A26960

EAN Code: 3606480087998

#### Main

range of product	Acti9
Product or component type	Undervoltage release
Device short name	iMN
[Uc] control circuit voltage	220240 V AC 50/60 Hz
Control type	Standard
9 mm pitches	2

### Complementary

Range compatibility	Acti 9 Acti9 iC65 Acti 9 Acti9 ARA	
- · · · ·		
	Acti 9 Acti9 iDPN Vigi	
	Acti 9 Acti9 iID	
	Acti 9 Acti9 iSW-NA	
	Acti 9 Acti9 RCA	
	Acti 9 Acti9 iDPN (China version)	
	Acti 9 Acti9 iC60 double terminals miniature circuit breaker	
	Acti 9 Acti9 iC40	
local signalling	Action indicator	
mounting mode	Clip-on	
Mounting support	DIN rail	
Comb busbar and distribution block compatibility	Top and bottom: YES	
Width	18 mm	
Colour	White	
Connections - terminals	Clamp terminal - 1 cable(s) 8 mm² - rigid	
	Clamp terminal - 2 cable(s) 2.7 mm² - rigid	
	Clamp terminal - 1 cable(s) 6 mm <sup>2</sup> - flexible	
	Clamp terminal - 2 cable(s) 2.7 mm² - flexible with cable end	
Tightening torque	1 N.m	
Compatibility code	IMN	

#### **Environment**

Standards	EN/IEC 60947-1	
Tropicalisation	2 conforming to EN/IEC 60947-5-1	
Relative humidity	95 % at 55 °C	
Ambient air temperature for operation	-3570 °C	
ambient air temperature for storage	-4085 °C	

22 Jul 2024 Life Is On Schneider

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	8.000 cm
Package 1 Length	9.500 cm
Package 1 Weight	80.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	8
Package 2 Height	8.700 cm
Package 2 Width	10.000 cm
Package 2 Length	26.700 cm
Package 2 Weight	697.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	72
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	6.903 kg

## **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information