Specifications



# screw shield - 4 poles - 72 mm - for iC60, iID, Reflex iC60, iSW-NA

Local distributor code: 396734967

A9A26981

EAN Code: 3606480088100

#### Main

Product or component type	Screw shield
Accessory / separate part categor	Insulation accessory
Quantity per set	Set of 20
Colour	White

## Complementary

eemplemental j	
Range compatibility	Acti 9 Acti9 iSW-NA Acti 9 Acti9 iC60
	Acti 9 Acti9 iID
	Acti 9 Acti9 Reflex iC60
poles description	3P
	4P
	1P + N
	2P
	3P + N
	1P
mounting mode	By clips
[Ui] rated insulation voltage	500 V
Connection pitch	72 mm
Compatibility code	IC60

# **Packing Units**

-	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.600 cm
Package 1 Width	7.400 cm
Package 1 Length	10.100 cm
Package 1 Weight	99.500 g
Unit Type of Package 2	S02
Number of Units in Package 2	30
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.318 kg

# **Contractual warranty**

Warranty

18 months

# **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Sustainable Packaging

#### **Resource performance**

Sustainable Packaging

## Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)