

Product datasheet

Specifications



Modicon M172 Performance Display Graphic

TM172DGRP

Main

Range Of Product	Modicon M171/M172
Product Or Component Type	Display module
Display Colour	Monochrome
Supply	External source

Complementary

Display Type	Backlit LCD
Number Of Key	5
Display Resolution	128 x 64 pixels
Colour	Grey
[Us] Rated Supply Voltage	24 V AC/DC
Power Consumption In W	2 W
Marking	CE
Realtime Clock	With clock
Local Signalling	3 LEDs (green)
Product Compatibility	Logic controller M171 performance
Height	160 mm
Width	90 mm
Depth	27 mm
Net Weight	0.197 kg

Environment

Standards	UL 94
Product Certifications	cURus

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	13.400 cm
Package 1 Width	9.300 cm
Package 1 Length	18.700 cm
Package 1 Weight	262.000 g

Unit Type Of Package 2	S02
Number Of Units In Package 2	6
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1.823 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)